Global Polio Eradication Initiative

Scientific Advisory Group of Experts
22 October 2014



Endgame Plan, 2013-18

- Polio detection & interruption
- Systems strengthening, IPV intro. & OPV withdrawal
- Containment & Certification
- Legacy Planning




Major Milestones

stop wild virus globally

withdraw type 2 OPV globally

certification of all 6 Regions



WHA 2015: discussion & potential decision on global readiness for OPV2 withdrawal in April 2016.

Criteria for OPV2 withdrawal readiness:

IPV introduction

bOPV licensed for routine immunization

response protocols for type 2 polio

appropriate type 2 containment


affirmation of wild type 2 eradication

Trigger for OPV2 withdrawal:

absence of 'persistent' cVDPV2s

globally for at least 6 months.

Persistent cVDPVs



Major Goals 2014

1. Polio-free African continent

2. Pakistan/Afghan 'on-track' for 2015

Positioned for WHA decision on OPV2 withdrawal

Timeline

July SAGE Working Group

Oct SAGE Recommendations

Nov WHO Governing Body paper

Jan WHO Executive Board

Major Goals for 'the Switch' in 2014

- 1. All countries have IPV intro date
- 2. Containment GAP 3 Plan finalized
- 3. bOPV licensed for routine use
- 4. mOPV2 stockpile protocols finalize